EARTHQUAKES

PUBLIC HEALTH AND MEDICAL RESPONSE— THE CALIFORNIA MODEL

HOWARD D. BACKER

KEY TERMS

California Emergency Medical Services Authority (EMSA)
Community Assessment for Public Health Emergency Response (CASPER)
Crisis Standards of Care (CSC)
Department Operations Center (DOC)
Disaster Medical Assistance Teams (DMAT)
Emergency Operations Center (EOC)
Emergency Support Functions (ESF)
Emergency System for Advance Registration of Volunteer Health Professionals (ESAR-VHP)
Essential Community Lifelines
Incident Command System (ICS)
Joint Information Center (JIC)
Medical Reserve Corps
Mitigation and Preparedness
National Disaster Medical System (NDMS)
National Incident Management System (NIMS)
National Preparedness Goal
National Response Framework (NRF)
Patient Unified Lookup System for Emergencies (PULSE)
Prediction Science
Stafford Act (Robert T. Stafford Disaster Relief and Emergency Assistance Act)

The following icons, located in the margins throughout the chapter and within the summary tables, denote essential services of public health, CEPH competencies, and leadership levels:

Essential services of public health;

CEPH competencies;

Leadership levels.

INTRODUCTION

Earthquakes are complex disasters that occur without prior notice and require a response across many programs within public health departments as well as every other response agency. An immediate, organized, effective medical and public health response is critical to save lives and reduce suffering. Similar to other disasters, effective mitigation and planning, rapid situation status assessment, effective communication, response mobilization according to emergency management system standards, and responding to healthcare surge are at the core of an effective response. An understanding of planning and responding to an earthquake provides a comprehensive foundation for disaster medicine.

OVERVIEW OF EARTHQUAKES

Earthquakes present unique challenges to disaster planning and response. An earthquake is a no-notice event, unlike storms, floods, and most fires that have some advanced warning. There are now some early warning devices that send notifications, but these provide seconds, not hours or days—potentially providing time to “drop, hold, and cover” but not time to evacuate the area. Impact from an earthquake is highly variable and depends on the geology, geographic location, infrastructure and architecture in the shake zone, and the magnitude and duration of the shaking. Earthquakes can cause broad damage to infrastructure, including water and sewer lines, power lines, communication, and transportation, as well as buildings. Earthquakes also disrupt critical services such as government, healthcare, and supply chains while displacing people from home and work.

Earthquakes occur in many parts of the world. In the United States, the best-known faults occur on the West Coast (San Andreas Fault; Figure 8.1), but in the central United States, the New Madrid Seismic Zone, which is capable of generating major earthquakes, threatens parts of eight American states (Illinois, Indiana, Missouri, Arkansas, Kentucky, Tennessee, Oklahoma, and Mississippi; Figure 8.2). Earthquakes occur with surprising frequency, but **prediction science** is not yet reliable to determine when minor quakes are precursors of a large event. The U.S. Geological Service (USGS) estimates globally that each year 10,000–15,000 light earthquakes occur (magnitude 4–4.9), 1,000 to 1,500 moderate earthquakes (magnitude 5–5.9), 100–150 strong earthquakes (magnitude 6–6.9), 10–20 major earthquakes (magnitude 7–7.9), and one great earthquake (magnitude 8 or more). The last great earthquake in the United States was off the coast of Alaska (1964, magnitude 9.2). Earthquakes in other areas of the world provide stark reminders of the frequency and potential of major and great earthquakes: Chile (2010, magnitude 8.8), Japan (2011, magnitude 9.1), Haiti (2010, magnitude 7.0), Nepal (2015, magnitude 7.8), and the Indian Ocean earthquake and tsunami (2004, magnitude 9.1–9.3). Much of the earthquake disaster literature is generated from these events. Several lesser magnitude earthquakes in California, as well as some of the international earthquakes and other types of disasters, are used to inform this discussion (Table 8.1).

Magnitude is measured on several scales, including the familiar Richter scale, a modification called the Moment Magnitude Scale, and the Mercalli Intensity Scale. In general, the units of the scales are based on the magnitude of shaking waves that corresponds to the energy released. The units are logarithmic, with an

CALIFORNIA GEOLOGICAL SURVEY
JOHN G. PARRISH, PH.D., STATE GEOLOGIST

STATE OF CALIFORNIA, EDMUND G. BROWN JR., GOVERNOR
RESOURCES AGENCY, JONAH JAMES, SECRETARY
DEPARTMENT OF CONSERVATION, DAVID BUNN, DIRECTOR

MAP SHEET 48 (REVISED 2016)
EARTHQUAKE SHAKING POTENTIAL FOR CALIFORNIA

Earthquake Shaking Potential for California

2016

D. Brannum¹, R. Chen¹, M. Petersen² and C. Wills¹

¹California Geological Survey, ²United States Geological Survey

Figure 8.1 San Andreas Fault and seismic potential in California.

Source: This figure was originally created by USGS but has been published by many organizations, including California Geologic Survey (https://www.conservation.ca.gov/cgs/Documents/Publications/Map-Sheets/MS_048.pdf) and the California Department of Conservation (<https://www.conservation.ca.gov/cgs/psha>).

Figure 8.2 New Madrid Fault location and risk.

Source: U.S. Geological Survey. (n.d.). *Peak ground-motion variability for a magnitude 7.7 earthquake* [Image]. <https://www.usgs.gov/media/images/graph-peak-ground-motion-variability-magnitude-77-earthquake>

increase of 0.2 roughly indicating a doubling of energy released. The geographic location and depth of the earthquake are important factors; for example, a shallow moderate earthquake in a densely populated area may cause more damage than a major earthquake that occurs deep under the surface in a remote area.

PUBLIC HEALTH ROLE

Public health has a key role in preparing and responding to disasters in general, including earthquakes, that is outlined in the requirements of the Public Health Emergency Preparedness (PHEP) Cooperative Agreement administered by the Centers for Disease Control and Prevention (CDC) and

TABLE 8.1 Recent California Earthquakes and Other Incidents Used for Information in This Chapter

Location	Date	Magnitude	Hospitals Affected	Injured	Deaths	Notes
Northridge CA (Los Angeles) (C. H. Schultz et al., 2003; U.S. Dept Housing and Development, 1995)	1/17/1994	6.7	8 evacuated; 11 sustained some damage	8,700 1,600 hospitalized	61	Major freeways closed due to collapse. More than 2,500 aftershocks, two 6.0; at least 65,000 residential buildings sustained damage; estimated total damage between \$18 billion and \$20 billion (1994 value).
Napa	8/24/2014	6.0	1 partial	200	1	Many ED visits for wounds. Experimental earthquake warning system provided 5-second advanced warning.
Loma Prieta near Santa Cruz (Bay Area)	1989			3,757	57 direct, 6 indirect	Liquifaction in San Francisco caused structural damage. The highest number of deaths, 42 (Greenberg et al., 2013), occurred in Oakland because of the collapse of double decker freeways on Interstate 880. One 50-foot (15-m) section of the San Francisco–Oakland Bay Bridge collapsed with a single fatality but major traffic disruption ensued for months.
Ridgecrest (south-eastern CA)	7/4–5/2019	7.1	1		1	Rural area, so little damage or injury/deaths. The Ridgecrest earthquake sequence included a magnitude-6.4 foreshock on July 4, followed by a magnitude 7.1 mainshock nearly 34 hours later, and more than 100,000 aftershocks.
Chile	2/27/2010	8.8	14 hospitals evacuated and replaced by field hospitals	525 dead; 25 missing		Tsunami devastated several coastal towns; 9% of people in affected areas lost their homes. Extensive looting in some areas.
Camp fire	11/8/2018		1 acute care hospital and 1 nursing home		85	18,804 buildings destroyed; 60,000 persons evacuated; 14 shelters opened, at least half unofficial, including a large, spontaneous encampment in a Walmart parking lot.
COVID-19	Ongoing					

ED, emergency department

the Hospital Preparedness Program (HPP) administered by the Office of the Assistant Secretary for Preparedness and Response (ASPR; CDC, n.d.-c; ASPR, 2020). Together, these grants provide federal funding to support readiness of the public health and medical systems to prepare and respond to all types of disasters.

EMERGENCY MANAGEMENT STRUCTURE

Disaster response requires a highly coordinated effort, and no public health response can succeed without understanding concepts of emergency coordination and management. Emergency management overlays standard organizational management, but the interface is often poorly understood. A key principle of the **Incident Command System (ICS)** is the standardized management organizational chart that is flexible and scalable with personnel job descriptions (Figure 8.3). These well-defined standard roles can be filled by persons from various agencies or jurisdictions creating a smooth interface between agencies. Each agency's **Emergency Operations Center (EOC)** performs a regular planning cycle that integrates across levels of support.

Emergency response is based on the assumption that all disasters are local, meaning that the primary responsibility for the direct response on the ground is at the local level. Field incident command remains at the local level with other emergency operations in support of the response, often in a unified command. Additional resources are obtained through mutual aid provided by progressively larger jurisdictions at the county, regional, state, and federal levels upon request. Neighboring communities and organizations play a key role by

5,21

Figure 8.3 National Incident Management System organizational chart.

Source: FEMA ICS training.

providing support through a network of mutual aid and assistance agreements that identify the resources that communities may share during an incident (Figure 8.4).

Because large events may immediately overwhelm a local jurisdiction, emergency response agencies at the higher levels with greater resources may “lean forward” by engaging with the local jurisdiction and staging resources to more rapidly support resource needs. In large impact events, there is always an initial resource gap when the need far exceeds the resources in the affected area. During this initial period, accurate information is difficult to obtain, communications are often disrupted and inadequate, and the population is not receiving needed services. Public agencies are under extreme criticism and pressure during this period.

The ICS structure is not optional and following the **National Incident Management System (NIMS)** designed around ICS is required to receive federal reimbursement (Federal Emergency Management Agency [FEMA], n.d.-b).

The **National Response Framework (NRF)** provides emergency management policy and structure for how the United States responds to all types of incidents. It is built on scalable, flexible, and adaptable concepts identified in the NIMS to align key roles and responsibilities across the nation (U.S. Department of Homeland Security, 2019).

For optimal efficiency, emergency response services are divided into functional areas called **Emergency Support Functions (ESFs)**. There are 15 areas designated in the federal response plan. ESFs, now termed **essential community lifelines**, have proved to be an effective way to organize and manage resources to deliver core capabilities and maintain critical services. These are defined as services that enable the continuous operation of critical government and business functions: safety and security; food, water, and shelter; health and medical; energy (power and fuel); communications; transportation; and hazardous material. The Health and Medical Community Lifeline (ESF #8) is further described as medical care, public health, patient movement, fatality management, behavioral health, veterinary support, and health or medical supply chains.

Figure 8.4 Time course of resource gaps and mutual aid.

Source: From FEMA.

In any disaster, the first overall objective is to save lives, the second is to minimize suffering, and the third is to protect property. This means public health and their healthcare partners have an immediate critical role to provide and support a broad range of services. The depth and breadth of public health responsibilities have generated robust discussion on the core competencies and functions for disaster response (Gibson et al., 2012; Khan et al., 2018).

MITIGATION AND PREPAREDNESS

As with any public health issue, prevention is paramount. Both **mitigation and preparedness** aim to put structure, process, policy, and laws in place to facilitate response and create agency and community resilience (U.S. Department of Housing and Urban Development [HUD], 1995). There is no agreement on any one method, and so there are many possible strategies for how to prepare communities. Reaching agreement for a particular community is the entire focus of the federal preparedness cooperative agreements and grants.

Public health competencies needed to develop policies and plans that support individual and community health efforts

Operational plans must be developed for anticipated and potential disasters and for meeting health needs of the population. California and other earthquake-prone states have done extensive planning for large earthquakes as well as other high-risk disasters. It is better to plan for large events and scale down for a smaller event than to try to scale up from plans for smaller events. Planning must occur at all levels, from healthcare facilities and systems to local, state, and federal government. The U.S. Department of Homeland Security (DHS)/FEMA Region IX and the California Governor’s Office of Emergency Services (OES) collaborated with public and private partners to create a base plan for catastrophic disasters (California OES, 2008), then these groups developed plans for specific events on the major earthquake faults (Northern California Bay Area, Southern California Los Angeles region, and northern rural California Cascadia Fault) that describe the joint state and federal response to a catastrophic earthquake. These plans are not static and are regularly reviewed and updated; in addition, exercises are designed to evaluate the plan and teach staff their roles. Planning is a complex function that engages multiple jurisdictional levels as well as all levels of public health staff.

Each of these plans has a section on public health and medical response. The public health response must consider all aspects of maintaining healthcare delivery as well as all risks to public health. They must also incorporate plans for the most vulnerable populations, including the aged, children, and those with functional and access needs.

The California Department of Public Health (CDPH) and **California Emergency Medical Services Authority (EMSA)** have developed the “Public Health and Medical Emergency Operations Manual,” a medical and health operational guide for local response and the interface between local and state agencies (CDPH, 2011).

Prepared policy guidance serves several purposes: (a) it is a resource for local health officers and (b) it ensures consistency of messages among health jurisdictions that helps prevent public confusion and frustration. One example is guidance for wildfire smoke, originally developed in California (U.S. Environmental Protection Agency, 2016).

Public health competencies needed to assure a competent public and personal healthcare workforce

Each agency must train staff and develop the necessary structure to respond in accordance with federal, state, and local mandates and statutes. To assure a competent workforce, all public health personnel should understand basic emergency management and their potential role in a response structure, since they may be redirected to support a disaster response. ICS courses are available online through FEMA (n.d.-a). For most staff, including frontline staff, this should include the basic levels ICS 100, 200, and 700. Program management/supervisory-level personnel benefit from additional higher level courses, including ICS 300, 400, and 800; these courses should be required for those who will directly interface with the emergency response system at the local or state level. California EMSA has developed a course titled Medical Health Operations Center Support Activities (MHOCSA) that applies disaster management and ICS principles specifically to medical and health responses. It is designed to train the personnel who will staff the health and medical branch of their EOC.

Executive management, especially state and local health officers, must understand their authorities and responsibilities, which are substantial. They must also understand the authorities of the governor and other officials that are usually granted under an Emergency Services Act. The CDPH has detailed these powers and authorities in California in the *California Public Health and Medical Emergency Operations Manual* (CDPH, 2011).

Responding to an emergency is a routine and essential function of a public health department (Posid et al., 2013), yet evidence suggests that the healthcare workforce does not feel prepared to respond to disasters (Gowing et al., 2017).

Public health competencies needed to mobilize community partnerships to identify and solve health problems

Planning for emergencies and disasters requires engagement of partners that will be involved in response. Collaboration ensures that relationships are established prior to a response, and that roles, responsibilities, and agency interface are understood. The HPP grant requires jurisdictions to develop community healthcare coalitions to assure that all parts of the healthcare delivery system are engaged and integrated during a response. Healthcare systems and facilities have an obligation to plan and prepare that is supported by professional and quality organizations and may be required by law.

HOSPITAL PREPAREDNESS

The Centers for Medicare and Medicaid Services (CMS) approved The Joint Commission's updated emergency management standards (implemented in 2017), which were created in response to the CMS final rule on emergency preparedness. The Joint Commission requires hospital preparedness efforts that include a vulnerability analysis, evacuation plans, internal response structure, preparedness and response plans, inventory of resources available, and engagement of leaders/executives. In addition to new requirements for hospitals, the most significant changes to the emergency performance standards were to home health settings and ambulatory healthcare.

Disasters in California and nationwide have shown that hospitals must be capable of continuing operations and sheltering patients in place for at least 3 to 5 days, since it could be several days before outside help and resources are able to reach the facility. Facilities with sufficient resources in-house for critical areas fare the best during disasters, and facilities that have corporate structures or associations with out-of-area organizations receive more timely help. California regulations require hospitals to be self-sufficient for 96 hours with subsistence needs for staff and patients, including food, water, and essential medical and pharmaceutical supplies; emergency and standby power systems to maintain temperature, lighting, and fire detection; and utilities, including sewage and sanitation. These are consistent with requirements from the CMS, The Joint Commission, and the National Fire Protection Association (NFPA). The California Hospital Association (CHA) coordinated a survey of acute care hospitals to determine their readiness to shelter in place and to create an inventory of emergency power equipment so that emergency response agencies could be prepared to replace generators or power connections during a response.

The California EMSA, in partnership with national organizations, has adapted principles of ICS to healthcare facilities. The Hospital Incident Command System is in the public domain and training courses are widely available (California EMSA, 2014). It has become a national standard and adopted by numerous other countries to help facilities rapidly organize to respond to internal and widespread emergencies.

Public health competencies needed to enforce laws and regulations that protect health and ensure safety

Public health agencies and public health officers are regulatory agencies with broad statutory powers to control infectious diseases and mitigate public health risks. This ranges from the power of isolation and quarantine to oversight and regulation of health facilities and providers. Many legal questions arise concerning public health authorities in an emergency (Public Health and Medical Emergency Powers, 2019). It is critical that agencies understand their emergency powers as well as those of the local and state emergency management agencies and the chief executive of the city/county/ state. In most states, the governor has the power to suspend, flex, or implement rules during a declared disaster. Some authorities can be delegated to the state health officer. Health agencies can anticipate needs to flex regulatory requirements for facilities to support healthcare surge by pre-scripting emergency orders for the governor or health officer. (See more in the following section, Support for Healthcare Surge). The Association of State and Territorial Health Officers (ASTHO, n.d.-b) has developed legal preparedness and response resources that explain and support these authorities. California has catalogued public health powers and responsibilities for disaster response (Public Health and Medical Emergency Powers, 2019).

Other agencies are responsible for laws and regulations that will support public health and medical mitigation and response. For example, architectural standards are a critical earthquake mitigation strategy since structural collapse is one of the major causes of morbidity and mortality; healthcare facilities at all levels may be required to meet structural requirements. In California, the Office of Statewide Health Planning and Development (OSHPD, 2019) creates and enforces regulations for building standards designed to minimize damage from

earthquakes. These have been strengthened over time as engineering solutions are developed and experience obtained from real events, but implementation and optimal standards are repeatedly delayed due to the cost of retrofitting or replacing a facility. Current standards address both the structural integrity of the building (Structural Performance Categories, SPC) and the bracing or anchoring of critical internal components (Nonstructural Performance Categories, NPC), such as restraining computers and cabinets to prevent them from injuring patients and staff. Maintaining structural safety and functional status is critical to avoid the need for immediate evacuation of numerous facilities at the same time. Although there is continual progress, there are still a significant number of hospital buildings at risk for structural failure (SPC 1 and 2) during a large earthquake in California (Table 8.2).

The Northridge earthquake in California was the impetus for stronger architectural standards, after four facilities were severely damaged and had to be demolished and four others evacuated due to nonstructural damage (Schultz et al., 2003; Figure 8.5). In Chile, although new hospitals were built to high standards, older hospitals constructed of unreinforced materials suffered extensive damage.

In addition to hospital construction standards, residential structural standards for both new construction and for retrofitting are critical to prevent death and injury from collapse, damage, and falling objects. Older residences should be reinforced and bolted to their foundation. Cabinets and bookshelves should be secured to the walls and cabinet doors fitted with special latches to decrease flying objects. Construction standards for offices and homes are updated according to experience and engineering advances. During the Loma Prieta earthquake, many older flats and apartments in San Francisco with insufficient support for upper levels due to open parking on the first level collapsed, leading to new requirements to retrofit the structures.

TABLE 8.2 SPC Ratings of Acute Care Hospital Buildings as of 1/23/20

SPC Category	Number (%) <i>N</i> = 3,043 as of 11/30/19	Definition
1	147 (4.8)	Significant risk of collapse and danger to the public
2	646 (21.6)	Does not significantly jeopardize life, but may not be repairable or functional following strong ground motion
3	379 (12.4)	May experience structural damage which does not significantly jeopardize life, but may not be repairable or functional following strong ground motion
4	795 (26.1)	May experience structural damage which may inhibit ability to provide services to the public following strong ground motion
5	1,140 (37.5)	Reasonably capable of providing services to the public following strong ground motion
N/A	69 (2.2)	

SPC, Structural Performance Categories

Source: From California Office of Statewide Planning and Development (OSHPD) [Development, #65].

Figure 8.5 Hospital damage following Northridge Earthquake (1994).

Source: U.S. Geological Survey. USGS publication: <https://pubs.usgs.gov/fs/old.2003/fs068-03>

Public health competencies needed to inform, educate, and empower people about health issues

Disaster plans depend on individual and community preparedness. If this is lacking, the entire response will be magnified in difficulty and delayed in execution. No matter how prepared the healthcare system is for disasters like an earthquake, it must meet the entire community's needs in the aftermath of a large event. However, educating and motivating the public to take individual, household, business, and institutional preparedness measures to increase their resilience and decrease their total dependence on public services is very challenging. In a large earthquake, as in any large-scale disaster, relief services may not be adequate and widely available for up to 1 week, so residents are encouraged to have their own supply of food, water, lights and batteries, and first aid supplies. Despite regular disasters and persistent campaigns and public communication efforts, only a small percentage of people can be convinced to take action such as stockpiling 3 days of food and water, as recommended by federal and local emergency management agencies. Few have even developed family emergency plans for reuniting and communicating.

Research indicates that factors influencing preparedness attitudes and behaviors are complex and multifaceted, including demographic characteristics, trust in government efforts, previous exposure to a disaster, and number of dependents in a household (Greenberg et al., 2013; Kohn et al., 2012). While it seems completely rational, it is difficult to demonstrate that household preparedness is effective (Clay et al., 2019; Heagele et al., 2016; Levac et al., 2012). Given poor evidence for efficacy and the challenge of getting the public to address individual preparedness by stockpiling emergency supplies and creating an emergency plan, Los Angeles CDPH shifted its social media messaging for emergency preparedness to encourage social connectivity as a central feature with an emphasis on community preparedness (Plough et al., 2013).

Business and industry have a self-interest in continuity plans following a disaster. Disruption of businesses that are part of a critical supply chain may have direct impact on public health response efforts as well as business revenue.

Physical damage at industrial sites may pose a risk to public safety from hazardous material spills or releases, which creates the need for public health engagement.

RESPONSE

Within the NRF, the term “response” includes actions to save lives, protect property and the environment, stabilize the incident, and meet basic human needs following an incident. All the components of NIMS—resource management, command and coordination, and communications and information management—support response. The **National Preparedness Goal** identifies 32 core capabilities that cover all areas of response. The Public Health, Healthcare, and Emergency Medical Services core capability is to provide lifesaving medical treatment and avoid additional disease and injury by providing targeted public health, medical and behavioral health support, and products to all affected populations.

Public health agencies usually open a **Department Operations Center (DOC)** to coordinate their internal activities and communications and send representatives to coordinate with the local emergency management agencies at the local and/or state level where their actions are requested and integrated into the overall response. A public health program will be tasked through the EOC of the emergency management agency that has statutory responsibility for managing the response to the disaster. Public health staff will continue to report to their usual manager unless assigned to work in an EOC within the ICS structure. In most local and state jurisdictions, under emergency law, all employees are to be designated as emergency responders during a disaster and may be assigned roles outside of their usual position but within their ability, skill, and safety level.

INITIAL ACTIVATION

Following a major emergency or disaster, the health and medical needs are overwhelming. The entire public health agency will be recruited to address myriad needs. As the extent of the damage becomes known, an emergency declaration may be declared by the local political leader. The local health officer may also declare a public health emergency. This may be rapidly followed by a declaration or proclamation at the state level and request for federal declaration. At each level, there may be a public health declaration as well. Emergency declarations or proclamations are not simply a formality; they are necessary to initiate statutory and regulatory emergency measures and funding. If required, initiation of mutual aid does not wait for an emergency declaration. (See the following Federal Support section.)

The first step is for the public health management/leadership to mobilize their emergency management structure and personnel and then begin to reassign other staff as disaster service workers. Representatives will respond to the local, regional, or state EOC to represent ESF #8. These staff, following ICS and NIMS principles, will serve as liaisons to synthesize situation status and to field requests for mutual aid.

2,3

1

21

The high-level response goal for ESF #8 is to manage disaster-induced injuries and public health risks and maintain access to healthcare services. This

requires evaluating and supporting the health needs of the population and the healthcare system.

FEDERAL SUPPORT

The **Stafford Act (Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93–288, 42 U.S.C. 5121 et seq.)** authorizes the president to provide financial and other assistance to local, state, tribal, territorial, and insular area governments; certain private nonprofit organizations; and individuals to support response, recovery, and mitigation efforts following a Stafford Act emergency or major disaster declaration. While federal assistance under the Stafford Act may only be delivered after a declaration, FEMA may predeploy federal assets when a declaration is likely and imminent. Most forms of Stafford Act assistance require a cost share.

The secretary of the HHS has the authority to take actions to protect the public health and welfare, declare a public health emergency, and prepare for and respond to public health emergencies. The Public Health Service Act (PHSA), as amended by the Pandemic and All-Hazards Preparedness Reauthorization Act, forms the foundation of the HHS’s legal authority for responding to public health emergencies (PHSA, 42 U.S.C. §§ 201 et seq.). If the president declares an emergency or disaster and the secretary of the HHS declares a public health emergency, certain waivers to the provisions of the HIPAA Privacy Rule may be initiated. An interactive web-based decision tool is available to assist planners to determine how to access and use health information during a declared disaster (HHS, 2020a).

18,19,
20

COMMUNICATIONS

Following a disaster or local emergency, risk communication is critical to inform the public and to direct them to helpful actions and services. The overall responsibility for public communication is through political leaders or their designees. The health agency director or public health officer will often be assigned to provide pertinent information on the status of health impact and services. The ICS structure includes a communications chief under the incident commander. The EOC sets up a **Joint Information Center (JIC)** to develop risk communications with a consistent message for both public and response partners. The local or state public health agency will hold situation status calls and regular situation status reports to update response partners, for example, local health officers and healthcare facilities, and to share critical resource status and needs. The challenge is to provide accurate and timely information to various key stakeholders without compromising time to carry out other response activities. Typically, agency leadership will be fully engaged in developing and delivering the message and program staff will provide updates and technical information. Information and messages should be reviewed with higher levels of emergency management to assure a coordinated message.

3

1

Public health competencies needed to monitor health status to identify and solve community health problems

Diagnose and investigate health problems and health hazards in the community

EPIDEMIOLOGY AND SURVEILLANCE

Earthquakes have a specific epidemiological medical profile like any disease or public health event. The initial health impact is from traumatic injuries related to structural collapse, flying objects, and rubble. This creates critical injuries, blunt and penetrating trauma, and crush and orthopedic injuries. The most extreme example was in the 2010 Haiti earthquake when inadequately reinforced concrete structures collapsed, killing thousands and trapping many more, resulting in high burden of injuries with significant mortality and morbidity, including many amputations (Doocy et al., 2013). The same was found in the Northridge earthquake (Peek-Asa et al., 1998). Emergency department visits following the California Northridge earthquake experienced a major increase in lacerations and bruises with decreases in many minor ambulatory problems, including respiratory illness and general examinations. The stress will contribute to both cardiac and other acute events. Another source of early mortality in coastal areas is a tsunami that results from a large offshore earthquake as seen in the 2010 Chile earthquake and the 2004 Indonesian earthquake.

The terror and stress of an earthquake will have both physiological and psychological impact. Evaluation of psychological impact is as important as physical injury or illness but is not as well understood or addressed by emergency response systems. Like other mass casualty situations, assessment using screening tools can be accomplished that triage people for level of service needed (Schreiber et al. 2014; Sylwanowicz et al., 2018). The initial epidemiological assessment focuses on exposure to traumatic events rather than a psychological evaluation. Moreover, the assessment, as well as many initial interventions, can be accomplished by people who are not licensed mental health professionals. Behavioral health resources can then be applied in areas and to persons with the greatest need. Without addressing the behavioral health needs, scarce and overwhelmed healthcare resources will be diverted to those exhibiting symptoms of psychological stress.

Epidemiological evaluation may be done in the community, within shelters, or in healthcare facilities. One technique to obtain community level information is the **Community Assessment for Public Health Emergency Response (CASPER)**. CASPER standardizes the assessment methodology by using a modified cluster sampling methodology that involves selection of 30 clusters selected proportional to size and seven households interviewed within each cluster to provide estimates for the population. The CASPER Toolkit provides a guidance document for public health practitioners and emergency management officials (CDC, n.d.-a).

Assessment needs to include availability of basic needs and services such as availability of shelter, food, water, and outbreaks of infectious diseases or toxic exposure. Following the 1994 Northridge earthquake in Los Angeles County, communication systems, water, food, shelter, sanitation means, power sources, and medical supplies were among the resources needed early in the disaster (Stratton et al., 1996).

As specific issues are identified, more focused epidemiological assessments will be required. Whenever there are large numbers of evacuated persons who are living in crowded shelters or tent communities, there is great concern for hygiene, food safety, and infectious disease outbreaks (Figure 8.6). For example, there were outbreaks of norovirus within shelters housing evacuees from the Camp Fire in California. Public health provided a clinical case

7

1

1

2,3,4,7,11

Figure 8.6 Disaster shelter (before COVID-19).

4
1,2

definition and protocols for management. Special isolation areas were established (Figure 8.7). Infection control nurses visited each shelter daily and played a key role in surveillance, health education of shelter staff, and monitoring infection control measures. Influenza was another threat that required monitoring and an immunization effort. Careful surveillance is also required to identify cases of measles and other highly infectious illness. Recent western-state fires during the COVID-19 pandemic required a redesign of congregate shelters to assure social distancing, such as housing individuals and families in tents rather than open shelters (Figures 8.8–8.9). Public health should not assume that the Red Cross can adequately monitor and manage health issues. Important sources of information are all health encounters within shelters and emergency department visits. Food safety and hygiene staff may be busy with impacted businesses but must also monitor food preparation and serving at shelters and other ad hoc community volunteer sites. Earthquakes may result in damage to industrial facilities, storage tanks, and pipelines, resulting in toxic spills or release.

One special area at the intersection of communications and epidemiology is mortality attributable to the event. This is always of high interest to the media and to the political leadership. Discrepancies in numbers elicit detailed questions and become a risk communication issue. Health agencies and emergency

Figure 8.7 Isolation shelters for norovirus and respiratory infection patients.

Figure 8.8 Outdoor sheltering during COVID-19.

management must agree to provide a single number at a specific time of day. This is analogous to the convention of counting shelter inhabitants at midnight.

Public health competencies needed to evaluate effectiveness, accessibility, and quality of personal and population-based health services

Assessment of healthcare resources and services is another critical area of evaluation. The Public Health Department and the Health and Human Services Agency must have a rapid initial assessment and current information on the status of all facilities and services. Health facility licensing and regulation are usually part of public health. The public health field licensing staff must determine whether facilities can safely continue operations and if the building is structurally sound. Public health executive leadership will need

Figure 8.9 Indoor congregate general population shelter during COVID-19.

to determine what regulatory flexes are needed and ensure the authority from the governor or state health officer to grant variances and exemptions. This may include increasing the number of licensed beds, patient care in previously unlicensed areas, exemption from patient–staff ratios, expansion of scope of practice, emergency licensing and staff privileges of responding health professionals, and authorization of alternate care sites. Licensing staff approves the need for exemptions and monitors care. Emergency orders and regulatory exemptions have been used extensively to support healthcare surge during COVID-19. Healthcare surge measures are discussed further in the text that follows.

Public health competencies needed to link people to needed personal health services and assure the provision of healthcare when otherwise unavailable and mobilize community partnerships to identify and solve health problems

HEALTHCARE SURGE

In the aftermath of a large earthquake, response agencies will have to manage the increased need for services and resources in the face of damaged capacity and infrastructure. For the healthcare system, this translates to high demand at the same time capacity is diminished by damaged facilities, reduced staff, disrupted critical services such as power and transportation, interrupted patient services and access, and displaced community residents. Healthcare surge is the response to a sudden increase in demand for services that exceeds usual capacity. Surge is a complex multifaceted endeavor that involves inpatient care, outpatient care, and home health. Public health and their associated health agencies have a major role in supporting the healthcare system and assuring access to healthcare for all community residents. Preparing for surge caused by all types of emergencies is the primary objective of the HPP grant. California developed extensive surge guidelines that covers many aspects of the topic (CDPH, 2008a, 2008b, 2008c).

Maintaining healthcare services is also highly dependent on other services such as water, power, transportation, and supply lines. It also depends heavily on obtaining a wide range of resources. Plans can incorporate prescribed bundled resource requests to state or federal authorities designed to meet anticipated needs of large events. This avoids the need for individual requests with the risk of delays, omissions, and underestimates of need. California has bundled federal resource requests for catastrophic earthquakes that includes medical supplies, emergency medical response teams, and many other anticipated shortages.

ASSURING HEALTHCARE

Following a major earthquake, the first priority is rescue and emergency care. The public is always the first responder and effects many rescues. Local fire personnel, followed by Urban Search and Rescue teams, locate, rescue, and initiate medical stabilization for persons trapped in collapsed structures. Federal teams from FEMA are available to supplement local personnel. The emergency medical services (EMS) system and emergency departments (EDs) are the first to feel impact from a disaster and can be quickly overwhelmed. EMS is part of public health in many states, but in all jurisdictions it works closely with public health to coordinate transportation and healthcare surge during disasters. Hospital evacuation in addition to a surge in 911 calls requires additional ambulance units that will first respond from neighboring

jurisdictions. California has a system of ambulance strike teams that are routinely used in earthquakes, fires, and other multicasualty incidents. These consist of five ambulances of like type basic life support (BLS) or advanced life support (ALS) with a leader unit to provide resupply and communications. Initial ambulance strike teams are available within 2 hours with other teams arriving shortly. Up to 500 additional ground transport units are available through a national EMS contract with HHS-ASPR. EMS response may be compromised by rubble blocking transportation routes as well as gridlock from persons trying to evacuate the affected area, so air medical also plays an important role in patient transport during a major disaster (Figure 8.10).

There are several other means for EMS to address a large surge in demand (CDC, n.d.-b), but these are very difficult to initiate rapidly in a no-notice event:

1. Tiered dispatch: screen callers to determine acuity; prerecorded messages to selectively direct 911 calls with referral of non-life-threatening calls to advice lines.
2. Modify treatment and transport protocols to allow EMS personnel to assess, treat, release, and refer patients without transport.
3. Transport to facilities that do not traditionally receive 911 patients (e.g., clinics, urgent care, surgery centers, and alternate care sites).

Figure 8.10 Freeway collapse, Oakland, California, Loma Prieta earthquake.

After the Northridge earthquake in Southern California, Urban Search and Rescue Teams and **Disaster Medical Assistance Teams (DMATs)** were important elements in the response. The acute phase of the emergency medical response ended within 48 to 72 hours and public health then became the predominant healthcare issue (Stratton et al., 1996).

Impacted acute care hospitals should immediately activate and staff their emergency operation center according to principles in the HICS.

Public health competencies needed to monitor health status to identify and solve community health problems and diagnose and investigate health problems and health hazards in the community

HEALTHCARE FACILITY SUPPORT

Public health and the health agency must rapidly assess facility status. This can be very challenging in the initial chaos after a large emergency, especially if communications are disrupted. One method is for facilities to report to the public health and medical EOC or health branch. In California, facilities report to a local or regional medical and health coordinator in either the Public Health or EMS Department that then reports the data to the State Medical and Health Coordination Center, California Health and Human Services. The Department of Public Health generates a GIS map with the boundaries of the disaster and overlays of each type of licensed health facility with their operational status and status of their patient population. This is updated frequently and includes facilities licensed by the Department of Social Services, such as residential care facilities (California Department of Public Health, 2020). In addition to operational status, tracking includes patient census and numbers of patients evacuated.

An objective determination of hospital status to continue care requires engineers to evaluate structural safety and licensing personnel to evaluate ability to provide care safely within the structure. Structural stability may be specific to parts of the hospital and functional status may allow for continued care of current patients but no ability to admit additional patients. The decision to evacuate involves a risk-benefit analysis of patient safety and a further analysis of whether to move the larger number of low-acuity patients first or the smaller number of high-acuity patients that require much more scarce resources (Agency for Healthcare Research and Quality [AHRQ], n.d.; Schultz et al., 2003, 2007).

In extreme situations, hospital staff make the decision to evacuate based on patient safety and begin moving patients outside of the facility without full consultation and without assuring transportation or accepting facilities. This is certainly true of not only rapidly approaching danger such as fires but also following an earthquake due to the certainty of numerous aftershocks, some of which may be nearly as large as the main movement. There have been several examples of this in California due to fires and the threatened Oroville Dam failure (Hick et al., 2017). Exercising evacuation before a disaster is helpful but does not reproduce an emergency situation (Haverkort et al., 2016). Experience in California and Israel emphasize that the decision of emergency evacuation is complex, with structural damage and loss of utilities frequent reasons; however, hospitals should be capable of sheltering in place until safe evacuation can be organized

(Adini et al., 2012; Schultz et al., 2003, 2007). Unless unsafe, hospitals and long-term care facilities should try to shelter in place initially.

SUPPORT FOR HEALTHCARE SURGE

Facilities continuing to care for patients and receiving additional patients from the disaster zone or from other facilities will require support for key elements of surge: staff, space, and supplies.

EMERGENCY ORDERS AND REGULATORY EXEMPTIONS

Emergency orders and regulatory exemptions are a critical and effective means to support the emergency response in general and healthcare surge in particular. The first orders in a disaster expedite government operations by exempting procurement and personnel rules. Existing laws designate all state workers as emergency service workers who can be reassigned to the response efforts. Another broad area of emergency regulation to facilitate access to healthcare is to require health plans and systems to reimburse out of plan care, because patients may not be able to access their usual provider. Public health leadership requests and oversees regulatory exemptions while the facility licensing staff implements and monitors them.

PERSONNEL

Healthcare personnel are highly dedicated and often will respond to their clinic or facility to assist, but many will be impacted themselves or unable to get to their place of employment. Hospital staff can be augmented through exemption of nurse–patient staff ratios, shifting personnel from less affected facilities within healthcare systems, or through volunteers. Hospitals may need to modify or exempt staff privileging requirements.

State regulatory exemptions may include expanding scope of practice for specific types of personnel such as paramedics and nurses, the use of non-conventional licensed personnel such as veterinarians and dentists, and exempting state licensing requirements to allow retired staff and out-of-state personnel to practice. Medical volunteers are provided liability protection.

Spontaneous volunteers are particularly problematic for healthcare, since professional license and skills must be validated. The **Emergency System for Advance Registration of Volunteer Health Professionals (ESAR-VHP)** is a federal program to support states and territories in establishing standardized volunteer registration programs for disasters and public health and medical emergencies (HHS, 2020b). The system is linked to the state licensing agencies to verify licensure and can be used to call up specific types of personnel or entire teams that are rostered within the database. Legal issues of using volunteers have been analyzed for public health officers by ASTHO (n.d.-a).

Emergency medical teams can be requested from local, state, or federal agencies. Disaster medical teams specialize in providing care in nontraditional settings such as shelters or alternate care sites. These teams may be organized locally (**Medical Reserve Corps**) or at the state or federal level. DMATs are federal teams coordinated by the HHS-ASPR as part of the **National Disaster Medical System (NDMS; ASPR, n.d.-a)**. These teams come with sufficient equipment

Figure 8.11 California Disaster Medical Assistance Team (CAL-MAT).

and supplies to rapidly set up and begin care that includes high-level emergency capabilities. They can also provide care within shelters or nearly any other structure. California has similar teams based on the DMAT model (CAL-MAT; Figure 8.11). The NDMS can also supply teams to support trauma and critical care, mortuary services, and even veterinary care in disaster areas. The U.S. Public Health Service Commissioned Corp also has teams that can be rapidly deployed into the field to support medical or mental healthcare. The Department of Defense can also supply teams of healthcare providers to supplement civilian healthcare.

PERSONAL HEALTH INFORMATION

One unique challenge to providing quality care outside of usual health facilities or within facilities that must treat patients who usually obtain their healthcare elsewhere is obtaining personal health information. One of the most common health needs for persons who had to evacuate their homes is replacement of medications, but few patients have an accurate record of their current medications. Fortunately, pharmacy chains now have electronic records for patients who obtain their prescriptions from that chain. But medical history can only be inferred from prescription medications. Integrated healthcare systems usually have electronic records integrated across their sites, but do not share their records with competitors. California EMSA has developed a solution from a federal grant that allows volunteer medical providers to use internet access to search patient records that are synthesized from the majority of major health systems within California. **Patient Unified Lookup System for Emergencies (PULSE)** is activated during an emergency and connects multiple local and national data sources (health information organizations and health systems), allowing disaster medical volunteers to check patient records for allergies, problem lists, and medications in order to allow the healthcare providers in Disaster Healthcare Volunteers (DHV) to make better clinical decisions (California EMSA, 2020).

SPACE AND BEDS

Bed capacity can be increased through licensing exemptions or regulatory interventions. The first step is to identify nontraditional and nonclinical spaces within the facility. Establishing alternate care sites in existing structures or shelters can provide additional treatment locations and decompress acute care hospital emergency departments and inpatient units. These have been widely established but

Figure 8.12 Alternate care site.

not highly utilized during COVID-19 (Figures 8.12–8.13). Mobile field hospitals are routinely used by the military and following disasters in other countries but are not commonly used in the United States due to the ability to move patients by ground or air to other nearby facilities. Following the Chilean earthquake, 14 field hospitals were set up on the site of damaged facilities until more permanent structures could be rebuilt (Gerdin et al., 2013). A field hospital was used in Joplin, Missouri, in 2011, following a tornado that destroyed the main community hospital. These facilities require licensing exemptions and approvals (Figure 8.14).

In addition to moving supplies and staff into the affected area, the other means of supporting patient care following a disaster is to decompress facilities by moving patients out of the area. Patient movement requires coordination of transportation and destination to assure that the appropriate level of care is maintained during and after transport. Bed availability and arrangements with receiving facilities are often the responsibility of the public health or health agency.

SUPPLIES

Supplies can usually be obtained through private supply chains, but in unusual situations with demand far exceeding supply (e.g., countermeasures for chemical, radiological, or biological attacks) local resources may be supplemented by federal stockpiles. The CDC manages the Strategic National Stockpile that can be mobilized within hours to supplement certain medical supplies (ASPR, n.d.-b).

Figure 8.13 Alternate care site to support hospital surge during COVID-19.

POPULATIONS WITH SPECIAL NEEDS

One key responsibility is to assure supportive services and care for individuals with chronic conditions or with access and functional needs and those in medically underserved areas, which includes a large proportion of the population. For the population in shelters, this responsibility is shared by emergency support function for Mass Care and Shelter (ESF #6), usually the responsibility of the social services agency in partnership with the American Red Cross (ARC); however, ARC-managed shelters generally provide only first aid or very basic-level medical care, so the government health agency determines how to best provide care.

It is a difficult determination how to optimally provide care within shelters. Sometimes this can be done through a clinical area within a shelter, by cohorting shelter residents with medical needs, or establishing a separate medical shelter. National policy has shifted to providing care for those with access and functional needs as much as possible in general population shelters. California Department of Social Services has responsibility for coordination of Mass Care and Shelter

Figure 8.14 Mobile field hospital following a major earthquake (exercise with simulated patients).

(ESF #6) and deploys Functional Assessment Service Teams (FAST) to shelters to determine unmet functional and access needs (California Department of Social Services, n.d.). However, there is a spectrum of medical need that may require special medical shelters, including for patients in long-term care and convalescent facilities. In one recent event in California, a long-term care facility evacuated to the community shelter without prior notification or planning. This created an immediate need to set up a medical shelter to care for the patients until they could be repatriated or transferred to an appropriate facility. The HHS has federal medical stations that include caches of medical supplies that can be set up in nonmedical spaces to care for patients from these types of facilities. To avoid evacuation of skilled nursing and long-term care facilities that were experiencing widespread patient and staff COVID-19 outbreaks, California sent strike teams to support staffing gaps, establish effective infection control practices, and assure appropriate personal protective equipment for staff.

Outpatient and home care require attention to avoid additional load on hospitals and skilled nursing facilities. This emphasizes the need to mobilize community partnerships to mitigate disruption for patients. Dialysis is an example of a critical service that is highly specialized urgent or emergent care that is not easily shifted to other sites and must be continued through coordination of the community care network (Irvine et al., 2014).

Another large population that requires special consideration is children, who compose nearly 25% of the population. There are relatively few pediatric beds and specialty facilities for children in the community, so in a large-scale disaster, facilities that may not provide pediatric trauma care or intensive care may need to manage children until they can be safely transferred. This is currently an area of required planning for the HPP grant. Pediatric preparedness in emergency departments has been evaluated and shown to improve outcomes for pediatric patients (Remick et al., 2016). The ASPR is currently supporting development of regional networks for pediatric mutual aid to optimize sharing of expertise and other resources (Western Regional Alliance for Pediatric Emergency Management, 2020).

CRISIS STANDARDS OF CARE

Management of scarce resources remains a complex and challenging problem for emergency management overall and especially in healthcare where it can make a difference in patient outcome and access to care. This has been termed “crisis care” or “**crisis standards of care**” (CSC), which is defined as a substantial change in usual healthcare operations and level of care it is possible to deliver, which is made necessary by a pervasive or catastrophic disaster (Hanfling et al., 2013). In catastrophic disasters involving an overwhelming demand for medical care, CSC enables more effective use of the limited resources through fair, just, and equitable processes for making decisions across the region about who should receive treatments when there are not enough resources to provide patients with the level of care they would usually receive. Resources most often anticipated in shortage include EMS, intensive care, ventilators, or specific medications. However, immediately following an event, it could be any medical resource until additional support is available.

Implementation of CSC requires careful coordination and cooperation with all stakeholders through multiagency coordination groups (MACs; California Statewide Multi-Agency Coordination System Working Group, 2013). Prior

Figure 8.15 Relationship between supply, demand, and shift in standard of care in a sustained public health emergency.

Source: From Hanfling, D., Altevogt, B. M., Viswanathan, K., & Gostin, L. O. (Eds.). (2012). *Crisis standards of care: A systems framework for catastrophic disaster response*. National Academies Press. <https://doi.org/10.17226/13351>

planning and discussion for shifting to contingent or crisis care is critical, since it may be interpreted as rationing care. With guidance from the AHRQ, some state health agencies and healthcare systems have developed protocols or policies to address resource shortages (Institute of Medicine [U.S.] Committee on Guidance for Establishing Standards of Care for Use in Disaster Situations, 2012). Many more states developed or revised these during the waves of COVID-19 that overwhelmed hospital intensive care units. Ethical and legal concerns create intense scrutiny of CSC (Hodge et al., 2013).

Levels of care that can be provided in catastrophic scenarios have been defined (Hanfling et al., 2013; Figure 8.15):

Conventional care—Space, staff, and supplies are consistent with daily practice within the institution used during a multicase incident that triggers activation of the facility’s emergency operations plan.

Contingency care—Space, staff, and supplies are not consistent with daily practice but have minimal impact on patient care practices and meet patient demand using local and regional resources.

Crisis care—Adaptive spaces, staff, and supplies are not consistent with the usual standards of care but provide the best possible care to patients given the circumstances and resources available. Local, regional, state, interstate, and national resources may be required to meet patient demand.

BEHAVIORAL HEALTH

The most widespread and enduring impact will be the psychological stress and posttraumatic stress resulting from fear, anxiety over the loss of housing and services, and exposure to devastation and injuries of loved ones and community members (Dai et al., 2016; Farooqui et al., 2017). It is one of the most underestimated and persistent needs following a disaster and is often not addressed due to a lack of understanding the long-term impacts and a lack of sufficient resources at the local level (Alisha et al., 2019; Tanaka et al., 2019). Following the

2010 earthquake in Chile, government and health officials told a visiting Red Cross delegation that their greatest need for healthcare was behavioral health.

It is estimated that the majority of affected persons in a disaster area will have transitory distress symptoms, and 30% to 40% will develop a new incidence disorder such as posttraumatic stress disorder (PTSD) or depression. This includes 10% to 20% of responders. These disorders can be prevented in many people if addressed within the first month. California has developed response guides for local health departments that describe the resources and options for response (California EMSA, 2018; California Department of Public Health, California Emergency Medical Services Authority, 2018). The traditional one-on-one model of behavioral therapy is inadequate to address the overwhelming need (Abeldaño & Fernández, 2016; Macy et al., 2004; Shultz & Forbes, 2013).

The Substance Abuse and Mental Health Services Administration (n.d.) provides technical, financial, and personnel support for disaster planning and response. One underappreciated area is the needs of first responders who have very high rates of PTSD following disaster response. Posttraumatic stress is the most persistent health problem that should be addressed during recovery.

OTHER ESF #8 AREAS OF RESPONSIBILITY: VETERINARY SUPPORT AND MASS FATALITY

Veterinary support may be needed for animal care and rescue. It is difficult to convince people to evacuate unless arrangements are made for their pets or animals. Many human shelters now allow pets to accompany owners or colocate animal shelters with general population shelters. In either case, it requires additional levels of public health surveillance for hygiene and infectious disease. California rosters veterinary teams on their medical volunteer registry. They have rescued, sheltered, and treated domestic pets; large farm animals; exotic pets; and wildlife. During one large fire, they sheltered and delivered a pregnant giraffe from a wildlife sanctuary and even rescued fish from koi ponds.

Another little appreciated task that may be the responsibility of ESF #8 is mortuary services to identify and process bodies outside of the hospital. Special federal teams are available (DMORT).

RECOVERY

Public health competencies needed to evaluate effectiveness, accessibility, and quality of personal and population-based health services and research for new insights and innovative solutions to health problems

Recovery involves reestablishing services and infrastructure and begins during the response phase. Although the healthcare system may be most stressed by the initial demand for services following a large earthquake or other disaster, the system must continue to focus on providing care to the entire population and rapidly shift to recovery of usual services (Cartwright et al., 2017). Whereas

some services and utilities may be restored within hours or days, others involving major destruction of infrastructure may take months or years. Severely damaged healthcare facilities may be demolished and rebuild to higher standards of earthquake resistance. Shelters may not close for months, especially if many homes have been destroyed and require extensive repair or rebuilding. Public health is responsible for continuously monitoring health status and approving reopening of healthcare facilities and repatriation of patients. Public health also has responsibility to monitor drinking water quality as utilities come back online, monitor the effects of environmental toxic spills, and monitor food safety as restaurants reopen.

One of the challenges for postdisaster assessment of healthcare is evaluating care provided in nontraditional settings. Care provided in shelters and alternate care sites by disaster medical teams or volunteer community providers often do not have electronic records or standardized clinical encounter forms. There are simple electronic records that can be loaded on portable electronic devices and uploaded into a central database; however, this requires considerable preparation. The ARC uses its own forms for medical screening, first aid, and treatment that are not readily aggregated and available for analysis.

18

2,3

Recovery is also a time to redouble efforts toward mitigation and preparedness. Immediately after a disaster, the issue of preparedness is prevalent and urgent, creating a political window for additional funding and important program or resource gaps. Reimbursement from federal and state emergency funds is predicated on prior declarations of emergency, adherence with emergency management principles, accurate financial record keeping, and specific eligible activities. Healthcare is generally not reimbursed from emergency funds but may be covered by health insurance. This may depend on prior emergency or executive orders and negotiations between regulatory agencies and health plans.

EVALUATION OF RESPONSE

Emergency management typically seeks immediate evaluation feedback from responders before they return to their usual jobs or move on to the next emergency. The initial discussion and evaluation of the response is known as the “hotwash.” Each agency subsequently undertakes a more detailed after-action evaluation. These recommendations drive changes to the emergency plans and subsequent exercises to familiarize staff with new procedures.

RESEARCH

Research differs from after-action reports in that it may evaluate individuals in a community or quantitative analysis of relief efforts or healthcare interventions. Disaster science is relatively new, and most publications have been descriptive rather than analytical. Several publications have evaluated the disaster public health literature (Gowing et al., 2017; Khan et al., 2015; Savoia et al., 2017).

DISCUSSION QUESTIONS

1. Discuss how specific mitigation and preparedness measures can help reduce the number of deaths and injuries, as well as amount of property damage, due to earthquakes.
2. Give some examples for how enforcement of laws and regulations—both before and immediately after an earthquake—reduce impacts of earthquakes on populations.
3. Accessing healthcare for the wounded immediately after an earthquake is a high priority. Describe how public health, emergency medical services, and healthcare facilities respond to a sudden surge in healthcare needs.
4. The recovery phase after an earthquake may start within hours for some services; however, for some major destruction of infrastructure, it may take years to fully recover. Describe some of the aspects and elements of the recovery phase.

SUMMARY

TABLE 8.3 Select Essential Services of Public Health Demonstrated in Earthquake Response

Essential Service # and Definition	Context in Chapter Case	Competency # It Ties to	Importance for Emergency Preparedness, Response, or Recovery
1. Assess and monitor population health status, factors that influence health, and community needs and assets (Assessment)	Epidemiological evaluation conducted in the community, within shelters, or healthcare facilities	1, 2, 3	Assessment allows for determination of the magnitude of the problem as well as the impact of interventions.
2. Investigate, diagnose, and address health problems and hazards affecting the population (Assessment)	Evaluation of psychological and physical impact with assessment through screening tools	3, 4	Analyzing data and interpreting the results are critical in taking appropriate actions
3. Communicate effectively to inform and educate people about health, factors that influence it, and how to improve it (Policy Development)	Los Angeles County Department of Public Health shifted its social media messaging to encourage social connectivity with emphasis on community preparedness.	7, 8, 9, 18	Tailoring communication, taking into account language, cultural values, and the types of media used for receiving information, is important to reach all segments of the affected population.
4. Strengthen, support, and mobilize communities and partnerships to improve health (Policy Development)	HPP grant requires jurisdictions to develop community healthcare coalitions to assure that all parts of the healthcare delivery system are engaged and integrated.	8, 9, 13, 14	Effective public health actions require the trust and cooperation of the community which can only be achieved through outreach to create coalitions and partnerships.
5. Create, champion, and implement policies, plans, and laws that impact health (Policy Development)	California and other earthquake-prone states have done extensive planning for large earthquakes as well as other high-risk disasters.	12, 13, 21	Plans are not static and are regularly reviewed and updated; in addition, exercises are designed to evaluate the plan and teach staff their role.
6. Utilize legal and regulatory actions designed to improve and protect the public's health (Policy Development)	In most states, the governor has the power to suspend, flex, or implement rules during a declared disaster. Some authorities can be delegated to the state health officer.	16	Health agencies can anticipate needs to flex regulatory requirements for facilities to support healthcare surge by prescribing emergency orders for the governor or health officer.
7. Assure an effective system that enables equitable access to the individual services and care needed to be healthy (Assurance)	California has bundled federal resource requests for catastrophic earthquakes that include medical supplies, emergency medical response teams, and other anticipated shortages.	4, 7	Such bundling of federal resource requests helps avoid the need for individual requests with the risk of delays, omissions, and underestimates of need.
8. Build and support a diverse and skilled public health workforce (Assurance)	California EMSA developed a course, Medical Health Operations Center Support Activities (MHOC-SA), that applies disaster management and ICS principles to medical and health response.	21, 22	Such courses are important mechanisms to train the personnel who will staff the health and medical branch of their EOC.
9. Improve and innovate public health functions through ongoing evaluation, research, and continuous quality improvement (Assurance)	Public Health Department and the Health and Human Services Agency must have rapid initial assessment and current information on the status of all facilities and services.	2, 3, 4, 5	The public health field licensing staff [(Level 1)] must be able to determine whether facilities can safely continue operations and if the building is structurally sound.

(continued)

TABLE 8.3 Select Essential Services of Public Health Demonstrated in Earthquake Response (continued)

Essential Service # and Definition	Context in Chapter Case	Competency # It Ties to	Importance for Emergency Preparedness, Response, or Recovery
10. Build and maintain a strong organizational infrastructure for public health (Assurance)	Immediately after a disaster, the issue of preparedness is prevalent and creates a political window for funding an important program or resource gaps.	15	Importantly, reimbursement from federal and state emergency funds is predicated on prior declarations of emergency, adherence with emergency management principles, accurate financial record keeping, and specific eligible activities.

EOC, Emergency Operations Center; HPP, Hospital Preparedness Program; ICS, Incident Command System.

TABLE 8.4 Select CEPH Competencies Needed for Frontline Health Workers, Managers, and Leaders for Earthquake Emergency Preparedness, Response, and Recovery

Competency # and Definition	Context in Case/Chapter	Level	Importance for Emergency Preparedness, Response, or Recovery
4. Interpret results of data analysis for public health research, policy, or practice	Public health provided a clinical case definition and protocols for management after norovirus outbreaks.	Level 1	Such protocols can help to establish special isolation areas and ensure infection control nurses visit each shelter daily and play a key role in surveillance, health education of shelter staff, and monitoring infection control measures.
12. Discuss the policymaking process, including the roles of ethics and evidence.	Governor has the power to suspend, flex, or implement rules during a declared disaster. Some authorities can be delegated to the state health officer.	Level 3	As an illustration of the multiple dimensions of policy making, other agencies are responsible for laws and regulations that will support public health and medical mitigation and response. For example, architectural standards are a critical earthquake mitigation strategy since structural collapse is one of the major causes of morbidity and mortality.
13. Propose strategies to identify stakeholders and build coalitions and partnerships for influencing public health outcomes.	Facilities report to a local or regional medical and health coordinator in the Public Health or EMS Department that reports the data to the State Medical and Health Coordination Center.	Level 2	A Department of Public Health can generate a GIS map with the boundaries of the disaster and overlays of each type of licensed health facility with their operational status, status of their patient population, and track patient census and numbers of patients evacuated.
16. Apply leadership and/or management principles to address a relevant health issue.	Hospital staff make the decision to evacuate based on patient safety and will move patients outside of the facility.	Level 1	The decision for emergency evacuation is complex and may be due to structural damage and loss of utilities; however, hospitals should be capable of sheltering in place, at least initially, until safe evacuation can be organized.
18. Select communication strategies for different audiences and sectors.	Agency leadership will be fully engaged in developing and delivering the message.	Level 3	Information and messages should be reviewed with higher levels of emergency management to assure there is a clear, coordinated message.
21. Integrate perspectives from other sectors and/or professions to promote and advance population health.	Public health management/ leadership mobilizes their emergency management structure and reassigns other staff as disaster service workers.	Level 2	The high-level response goal is to manage disaster-induced injuries and public health risks and maintain access to healthcare services. This requires evaluating and supporting the health needs of the population and the health-care system.

Key: Essential services of public health; CEPH competencies; Leadership levels.

EMS, emergency medical services; GIS, geographic information system.

REFERENCES

- Abeldañó, R. A., & Fernández, R. (2016). Community mental health in disaster situations. A review of community-based models of approach. *Ciência & Saúde Coletiva*, 21(2), 431–442. <https://doi.org/10.1590/1413-81232015212.17502014>
- Adini, B., Laor, D., Cohen, R., & Israeli, A. (2012). Decision to evacuate a hospital during an emergency: The safe way or the leader's way? *Journal of Public Health Policy*, 33(2), 257–268. <https://doi.org/10.1057/jphp.2012.2>
- Agency for Healthcare Research and Quality. (n.d.). *Hospital evacuation decision guide*. <https://www.ahrq.gov/research/shuttered/hospevac4.html>
- Alisha, K. C., Gan, C. C. R., & Dwirahmadi, F. (2019). Breaking through barriers and building disaster mental resilience: A case study in the aftermath of the 2015 Nepal earthquakes. *International Journal of Environmental Research and Public Health*, 16(16), 2964. <https://doi.org/10.3390/ijerph16162964>
- Assistant Secretary for Preparedness and Response. (n.d.-a). *Calling on NDMS*. <https://www.phe.gov/Preparedness/responders/ndms/Pages/calling-ndms.aspx>
- Assistant Secretary for Preparedness and Response. (n.d.-b). *Strategic National Stockpile*. <https://www.phe.gov/about/sns/Pages/default.aspx>
- Association of State and Territorial Health Officers. (n.d.-a). *Emergency Volunteer Toolkit*. <https://www.astho.org/Programs/Preparedness/Public-Health-Emergency-Law/Emergency-Volunteer-Toolkit>
- Association of State and Territorial Health Officers. (n.d.-b). *Public health emergency law*. <https://www.astho.org/Legal-Preparedness-Series/?terms=legal+authorities+in+disasters>
- California Department of Public Health. (2008a). *Standards and guidelines for healthcare surge during emergencies* (Vol. 1: Hospitals). https://www.calhospitalprepare.org/sites/main/files/file-attachments/volume1_hospital_final.pdf
- California Department of Public Health. (2008b). *Standards and guidelines for healthcare surge during emergencies* (Vol. II: Government-authorized alternate care sites). https://www.cidrap.umn.edu/sites/default/files/public/php/258/258_acs.pdf
- California Department of Public Health. (2008c). *Standards and guidelines for healthcare surge during emergencies* (Vol. III: Payers).
- California Department of Public Health. (2011). *California public health and medical emergency operations manual*. <https://www.calhospitalprepare.org/sites/main/files/file-attachments/finaleom712011.pdf>
- California Department of Public Health, California Emergency Medical Services Authority. (2018). *Resource typing guidance: Disaster mental/behavioral and spiritual care*. <https://emsa.ca.gov/wp-content/uploads/sites/71/2018/11/EOM-Disaster-Behavioral-Health-Resource-Typing-Aides-10-25-2018.pdf>
- California Department of Public Health, California Emergency Medical Services Authority. (2020). *Real time mapping application for situational awareness*. https://www.cdph.ca.gov/Programs/EPO/Pages/real_time_mapping_application.aspx
- California Department of Social Services. (n.d.). *Functional Assessment Service Team (FAST) program*. <https://www.cdss.ca.gov/inforesources/mass-care-and-shelter/fast>
- California Emergency Medical Services Authority. (2014). *Hospital Incident Command System (HICS) guidebook* (5th ed.). Author. https://emsa.ca.gov/wp-content/uploads/sites/71/2017/09/HICS_Guidebook_2014_11.pdf
- California Emergency Medical Services Authority. (2018). *California public health and medical emergency operations manual: Disaster behavioral health*. <https://emsa.ca.gov/wp-content/uploads/sites/71/2018/11/EOM-Disaster-Behavioral-Health-10-26-2018.pdf>
- California Emergency Medical Services Authority. (2020). *Patient Unified Lookup System in Emergencies (PULSE)*. <https://emsa.ca.gov/wp-content/uploads/sites/71/2020/03/EMSA-PULSE-Just-InTime-Training-4.1.20.pdf>
- California Office of Emergency Services. (2008). *California catastrophic incident base plan: Concept of operations*. <https://www.caloes.ca.gov/individuals-families/catastrophic-planning>
- California Statewide Multi-Agency Coordination System Working Group. (2013). *California Statewide Multi-Agency Coordination System Guide*. [https://www.caloes.ca.gov/Planning/PreparednessSite/Documents/10%20California%20Statewide%20Multi-Agency%20Coordination%20System\(CSMACS\)%20Guide%202-13-13.pdf](https://www.caloes.ca.gov/Planning/PreparednessSite/Documents/10%20California%20Statewide%20Multi-Agency%20Coordination%20System(CSMACS)%20Guide%202-13-13.pdf)
- Cartwright, C., Hall, M., & Lee, A. C. K. (2017). The changing health priorities of earthquake response and implications for preparedness: A scoping review. *Public Health*, 150, 60–70. <https://doi.org/10.1016/j.puhe.2017.04.024>

- Centers for Disease Control and Prevention. (n.d.-a). *Community Assessment for Public Health Emergency Response (CASPER)*. <https://www.cdc.gov/nceh/hsb/disaster/casper/default.htm>
- Centers for Disease Control and Prevention. (n.d.-b). *Framework for expanding EMS system capacity during medical surge*. Department of Health and Human Services. <https://www.cdc.gov/cpr/readiness/healthcare/Expanding-EMS-Systems.htm>
- Centers for Disease Control and Prevention. (n.d.-c). *Public Health Emergency Preparedness (PHEP) cooperative agreement*. <https://www.cdc.gov/cpr/readiness/phep.htm>
- Clay, L. A., Goetschius, J. B., Papas, M. A., Trainor, J., Martins, N., & Kendra, J. M. (2019). Does preparedness matter? The influence of household preparedness on disaster outcomes during Superstorm Sandy. *Disaster Medicine and Public Health Preparedness*, 14, 71–79. <https://doi.org/10.1017/dmp.2019.78>
- Dai, W., Chen, L., Lai, Z., Li, Y., Wang, J., & Liu, A. (2016). The incidence of post-traumatic stress disorder among survivors after earthquakes: A systematic review and meta-analysis. *BMC Psychiatry*, 16, 188. <https://doi.org/10.1186/s12888-016-0891-9>
- Doocy, S., Jacquet, G., Cherewick, M., & Kirsch, T. D. (2013). The injury burden of the 2010 Haiti earthquake: A stratified cluster survey. *Injury*, 44(6), 842–847. <https://doi.org/10.1016/j.injury.2013.01.035>
- Farooqui, M., Quadri, S. A., & Suriya, S. S. (2017). Posttraumatic stress disorder: A serious post-earthquake complication. *Trends in Psychiatry and Psychotherapy*, 39(2), 135–143. <https://doi.org/10.1590/2237-6089-2016-0029>
- Federal Emergency Management Agency. (n.d.-a). *ICS resource training materials*. <https://training.fema.gov/emiweb/is/icsresource/trainingmaterials>
- Federal Emergency Management Agency. (n.d.-b). *National Incident Management System (NIMS)*. <https://training.fema.gov/nims>
- Gerdin, M., Wladis, A., & von Schreeb, J. (2013). Foreign field hospitals after the 2010 Haiti earthquake: How good were we? *Emergency Medicine Journal*, 30(1), e8. <https://doi.org/10.1136/emmermed-2011-200717>
- Gibson, P. J., Theadore, F., & Jellison, J. B. (2012). The common ground preparedness framework: A comprehensive description of Public Health Emergency Preparedness. *American Journal of Public Health*, 102(4), 633–642. <https://doi.org/10.2105/AJPH.2011.300546>
- Gowing, J. R., Walker, K. N., Elmer, S. L., & Cummings, E. A. (2017). Disaster preparedness among health professionals and support staff: What is effective? An integrative literature review. *Prehospital and Disaster Medicine*, 32(3), 321–328. <https://doi.org/10.1017/S1049023X1700019X>
- Greenberg, M. R., Dyen, S., & Elliott, S. (2013). The public's preparedness: Self-reliance, flashbulb memories, and conservative values. *American Journal of Public Health*, 103(6), e85–e91. <https://doi.org/10.2105/AJPH.2012.301198>
- Hanfling, D., Hick, J. L., & Stroud, C. (2013). *Committee on Crisis Standards of Care: A toolkit for indicators and triggers*. National Academies Press. <https://doi.org/10.17226/18338>
- Haverkort, J. J., Biesheuvel, T. H., & Bloemers, F. W. (2016). Hospital evacuation: Exercise versus reality. *Injury*, 47(9), 2012–2017. <https://doi.org/10.1016/j.injury.2016.03.028>
- Heagele, T. N. (2016). Lack of evidence supporting the effectiveness of disaster supply kits. *American Journal of Public Health*, 106(6), 979–982. <https://doi.org/10.2105/AJPH.2016.303148>
- Hick, J. L., Weil, J., Skivington, S., & Saruwatari, M. (2017). *The last stand: Evacuating a hospital in the middle of a wildfire*. ASPR Tracie. <https://files.asprtracie.hhs.gov/documents/aspr-tracie-the-last-stand-evacuating-a-hospital-in-the-middle-of-a-wildfire.pdf>
- Hodge, J. G., Jr., Hanfling, D., & Powell, T. P. (2013). Practical, ethical, and legal challenges underlying crisis standards of care. *Journal of Law, Medicine & Ethics*, 41(Suppl. 1), 50–55. <https://doi.org/10.1111/jlme.12039>
- Irvine, J., Buttimore, A., Eastwood, D., & Kendrick-Jones, J. (2014). The Christchurch earthquake: Dialysis experience and emergency planning. *Nephrology (Carlton)*, 19(5), 296–303. <https://doi.org/10.1111/nep.12222>
- Khan, Y., Fazli, G., & Henry, B. (2015). The evidence base of primary research in Public Health Emergency Preparedness: A scoping review and stakeholder consultation. *BMC Public Health*, 15, 432. <https://doi.org/10.1186/s12889-015-1750-1>
- Khan, Y., O'Sullivan, T., & Brown, A. (2018). Public Health Emergency Preparedness: A framework to promote resilience. *BMC Public Health*, 18(1), 1344. <https://doi.org/10.1186/s12889-018-6250-7>
- Kohn, S., Eaton, J. L., Feroz, S., Bainbridge, A. A., Hoolachan, J., & Barnett, D. J. (2012). Personal disaster preparedness: An integrative review of the literature. *Disaster Medicine and Public Health Preparedness*, 6(3), 217–231. <https://doi.org/10.1001/dmp.2012.47>

- Levac, J., Toal-Sullivan, D., & O'Sullivan, T. L. (2012). Household emergency preparedness: A literature review. *Journal of Community Health*, 37(3), 725–733. <https://doi.org/10.1007/s10900-011-9488-x>
- Macy, R. D., Behar, L., Paulson, R., Delman, J., Schmid, L., & Smith, S. F. (2004). Community-based, acute posttraumatic stress management: A description and evaluation of a psychosocial-intervention continuum. *Harvard Review of Psychiatry*, 12(4), 217–228. <https://doi.org/10.1080/10673220490509589>
- Office of Statewide Planning and Development. (2019). *Seismic compliance program*. <https://oshpd.ca.gov/construction-finance/seismic-compliance-and-safety>
- Office of the Assistant Secretary for Preparedness and Response, U.S. Department of Health and Human Services. (2020). *Hospital Preparedness Program (HPP)*. <https://www.phe.gov/Preparedness/planning/hpp/Pages/default.aspx>
- Peek-Asa, C., Kraus, J. F., Bourque, L. B., Vimalachandra, D., Yu, J., & Abrams, J. (1998). Fatal and hospitalized injuries resulting from the 1994 Northridge earthquake. *International Journal of Epidemiology*, 27(3), 459–465. <https://doi.org/10.1093/ije/27.3.459>
- Plough, A., Fielding, J. E., & Chandra, A. (2013). Building community disaster resilience: Perspectives from a large urban county department of public health. *American Journal of Public Health*, 103(7), 1190–1197. <https://doi.org/10.2105/AJPH.2013.301268>
- Posid, J. M., Bruce, S. M., Guarnizo, J. T., O'Connor, R. C., Jr., Papagiotas, S. S., & Taylor, M. L. (2013). Public health emergencies and responses: What are they, how long do they last, and how many staff does your agency need? *Biosecure Bioterror*, 11(4), 271–279. <https://doi.org/10.1089/bsp.2013.0044>
- Public Health and Medical Emergency Powers. (2019). *California Department of Public Health, California Emergency Medical Services Authority, public health and medical emergency operations manual*. <https://ems.ca.gov/wp-content/uploads/sites/71/2019/03/New-EOM-Public-Health-and-Medical-Emergency-Powers-3-15-2019-002.pdf>
- Remick, K., Kaji, A. H., & Olson, L. (2016). Pediatric readiness and facility verification. *Annals of Emergency Medicine*, 67(3), 320–328.e321. <https://doi.org/10.1016/j.annemergmed.2015.07.500>
- Savoia, E., Lin, L., Bernard, D., Klein, N., James, L. P., & Guicciardi, S. (2017). Public health system research in Public Health Emergency Preparedness in the United States (2009–2015): Actionable knowledge base. *American Journal of Public Health*, 107(Suppl. 2), e1–e6. <https://doi.org/10.2105/AJPH.2017.304051>
- Schreiber, M., Shields, S., Formanski, S., Cohen, J. A., & Sims, L. V. (2014). Code triage: Integrating the National Children's Disaster Mental Health Concept of Operations across health care systems. *Clinical Pediatric Emergency Medicine*, 15(4), 323–333. <https://doi.org/10.1016/j.cpem.2014.09.002>
- Schultz, C. H., Koenig, K. L., & Lewis, R. J. (2007). Decision making in hospital earthquake evacuation: Does distance from the epicenter matter? *Annals of Emergency Medicine*, 50(3), 320–326. <https://doi.org/10.1016/j.annemergmed.2007.03.025>
- Schultz, C. H., Koenig, K. L., & Lewis, R. J. (2003). Implications of hospital evacuation after the Northridge, California, earthquake. *New England Journal of Medicine*, 348(14), 1349–1355. <https://doi.org/10.1056/NEJMsa021807>
- Shultz, J. M., & Forbes, D. (2013). Psychological first aid: Rapid proliferation and the search for evidence. *Disaster Health*, 2(1), 3–12. <https://doi.org/10.4161/dish.26006>
- Stratton, S. J., Hastings, V. P., & Isbell, D. (1996). The 1994 Northridge earthquake disaster response: The local emergency medical services agency experience. *Prehospital and Disaster Medicine*, 11(3), 172–179. <https://doi.org/10.1017/s1049023x00042916>
- Substance Abuse and Mental Health Services Administration. (n.d.). *Disaster Technical Assistance Center*. <https://www.samhsa.gov/dtac>
- Sylvanowicz, L., Schreiber, M., & Anderson, C. (2018). Rapid triage of mental health risk in emergency medical workers: Findings from Typhoon Haiyan. *Disaster Medicine and Public Health Preparedness*, 12(1), 19–22. <https://doi.org/10.1017/dmp.2017.37>
- Tanaka, E., Tennichi, H., Kameoka, S., & Kato, H. (2019). Long-term psychological recovery process and its associated factors among survivors of the Great Hanshin-Awaji Earthquake in Japan: A qualitative study. *BMJ Open*, 9(8), e030250. <https://doi.org/10.1136/bmjopen-2019-030250>
- U.S. Department of Health and Human Services. (2020a). *Disclosures for emergency preparedness—A decision tool*. <https://www.hhs.gov/hipaa/for-professionals/special-topics/emergency-preparedness/decision-tool/index.html>
- U.S. Department of Health and Human Services. (2020b). *The emergency system for advance registration of volunteer health professionals (ESAR-VHP)*. <https://www.phe.gov/esarvhp/Pages/about.aspx>

- U.S. Department of Homeland Security. (2019). *National response framework* (4th ed.). Author. https://www.fema.gov/sites/default/files/2020-04/NRF_FINALApproved_2011028.pdf
- U.S. Department of Housing and Urban Development. (1995). Office policy development and research. *Preparing for the "big one": Saving lives through earthquake mitigation in Los Angeles, California*. <https://www.hsd.org/?view&did=806248>
- U.S. Environmental Protection Agency, U.S. Forest Service, U.S. Centers for Disease Control and Prevention, California Air Resources Board, California Department of Public Health. (2016). *Wildfire smoke: A guide for public health officials*.
- Western Regional Alliance for Pediatric Emergency Management. (2020). <https://wrap-em.org/index.php>